



TECHNORAIL®
inspiring innovations

100% Modular Railing Systems
#focusonsolutions





Aluminium Railing Systems
Stainless Steel Glass Railing Systems
Stainless Steel Balustrade Railing Systems




Transline 10 S Side Mounting System

Color	Multiple
Use	Heavy
Glass Thickness	12mm upto 25.5mm
Glass Height	Upto 1220mm


*Glass Toughen Coumpulsary.

Applications

Public spaces like Malls, Airports, Hospitals, High Rise Buildings, Hotels, Resorts



TransLine 10 S LED



TransLine 10 S




Transline 10 R Side Mounting System

Color	Multiple
Use	Medium to Heavy
Glass Thickness	12mm upto 17.5mm
Glass Height	Upto 1200mm


*Glass Toughen Coumpulsary.

Applications


Residential Spaces, Villas, Bungalows, Apartments, Restaurant



TransLine 10 R LED



TransLine 10 R



Transline 20 Top Mounting System

Color	Multiple
Use	Heavy
Glass Thickness	12mm upto 16.5mm
Glass Height	Upto 1200mm

*Glass Toughen Coumpulsary.

Applications

Residential Spaces, Villas, Bungalows, Apartments, Restaurant



TransLine 20 LED



TransLine 20



Transline 20 RH

Top Mounting System

Color	Multiple
Use	Heavy
Glass Thickness	12mm upto 17.5mm
Glass Height	Upto 1200mm

*Glass Toughen Coumpulsary.

Applications

Public spaces like Malls, Airports, Hospitals, High Rise Buildings, Hotels, Resorts



TransLine 20 RH

Transline 20 RH LED

Top Mounting System

Color	Multiple
Use	Medium to Heavy
Glass Thickness	12mm upto 17.5mm
Glass Height	Upto 1200mm

*Glass Toughen Coumpulsary.



Transline 20 RH LED



Transline 30



Concealed System

Color	Multiple
Use	Heavy
Glass Thickness	12mm upto 16.5mm
Glass Height	Upto 1200mm

*Glass Toughen Coumpulsary.

Applications

Residential Spaces, Villas, Bungalows, Apartments, Restaurant



Transline 30 RH

Concealed System

Color	Multiple
Use	Heavy
Glass Thickness	12mm upto 17.5mm
Glass Height	Upto 1200mm

*Glass Toughen Coumpulsary.

Applications

Public spaces like Malls, Airports, Hospitals, High Rise Buildings, Hotels, Resorts





Transline 50 S

Top Mounting System

Color	Multiple
Use	Heavy
Glass Thickness	12mm upto 25.5mm
Glass Height	Upto 1200mm

*Glass Toughen Coumpulsary.

Applications

Public spaces like Malls, Airports, Hospitals,
High Rise Buildings, Hotels, Resorts



TransLine 50 S LED



TransLine 50 S



Transline CC

Top Mounting System

Color	Multiple
Use	Medium to Heavy
Glass Thickness	12mm upto 15mm
Glass Height	Upto 1200mm

*Glass Toughen Coumpulsary.

Applications

Public spaces like Malls, Airports, Hospitals,
High Rise Buildings, Hotels, Resorts



TransLine CC



Transline 60


Top Mounting System

Color	Multiple
Use	Medium
Glass Thickness	10mm & 12mm
Glass Height	Upto 1050mm

*Glass Toughen Coumpulsary.

Applications

Residential Spaces, Villas, Bungalows,
Apartments, Restaurant



TransLine 60



Transline 60 N

Top Mounting System

Color	Multiple
Use	Medium
Glass Thickness	10mm & 13mm
Glass Height	Upto 1050mm


*Glass Toughen Coumpulsary.

Applications

*Residential Spaces, Villas, Bunglows,
Apartments, Restaurant*



TransLine 60 N



Transline 80


Top Mounting System

Color	Multiple
Use	Heavy
Glass Thickness	12mm upto 16.5mm
Glass Height	Upto 1200mm

*Glass Toughen Coumpulsary.

Applications

*Residential Spaces, Villas, Bunglows,
Apartments, Restaurant*



Transline 90


Side Mounting System (for Staircase)

Color	Multiple
Use	Heavy
Glass Thickness	12mm upto 25.5mm
Glass Height	Upto 1200mm

*Glass Toughen Coumpulsary.

Applications

*Public spaces like Malls, Airports, Hospitals,
High Rise Buildings, Hotels, Resorts,*





Transline 100

Top Mounting System (for Curved Area)


Color	Multiple
Use	Medium to Heavy
Glass Thickness	12mm upto 16.5mm
Glass Height	As per height situation

*Glass Toughen Coumpulsary.

Applications

Residential Spaces, Villas, Bungalows,
Apartments, Restaurant

System Components same as Transline 20



TL CC/115



Top Mounting System

Color	Multiple
Use	Heavy or extreme
Glass Thickness	12mm up to 19.5mm
Glass Height	use up to 1500mm

*Glass Toughen Coumpulsary.

Applications

Public spaces like Malls, Airports, Hospitals,
High Rise Buildings, Hotels, Resorts.



TL CC/115


Concealed System


Color	Multiple
Use	Heavy or extreme
Glass Thickness	12mm up to 19.5mm
Glass Height	use up to 1500mm

*Glass Toughen Coumpulsary.

Applications

Residential Spaces, Villas, Bungalows,
Apartments, Restaurant





TL CC/125


Top Mounting System

Color	Multiple
Use	Heavy or extreme heavy
Glass Thickness	17.5mm up to 25.5mm
Glass Height	use up to 1500mm

*Glass Toughen Compulsary.

Applications

*Residential Spaces, Villas, Bungalows,
Apartments, Restaurant*



TL CC/125



Concealed System

Color	Multiple
Use	Heavy or extreme heavy
Glass Thickness	17.5mm up to 25.5mm
Glass Height	use up to 1500mm

*Glass Toughen Compulsary.

Applications

*Public spaces like Malls, Airports, Hospitals,
High Rise Buildings, Hotels, Resorts,*



TL CC/-F 125


Top Mounting System


Color	Multiple
Use	Heavy or extreme heavy
Glass Thickness	17.5mm up to 28.5mm
Glass Height	use up to 1500mm

*Glass Toughen Compulsary.

Applications

*Residential Spaces, Villas, Bungalows,
Apartments, Restaurant*







TL CC/Y 180
Side Mounting System

Color	Multiple
Use	Heavy or extreme heavy
Glass Thickness	17.5mm up to 21.5mm
Glass Height	use up to 1500mm

*Glass Toughen Coumpulsary.

Applications

*Residential Spaces, Villas, Bungalows,
Apartments, Restaurant*




TL CC/Y 180 LED
Side Mounting System


Color	Multiple
Use	Heavy or extreme heavy
Glass Thickness	17.5mm up to 21.5mm
Glass Height	use up to 1500mm

*Glass Toughen Coumpulsary.

Applications

*Public spaces like Malls, Airports, Hospitals,
High Rise Buildings, Hotels, Resorts,*





TVE CC/105



Top Mounting System

Color	Multiple
Use	Medium to heavy
Glass Thickness	12mm up to 13.5mm
Glass Height	Up to 1100mm

*Glass Toughen Coumpulsary.

Applications

Residential Spaces, Villas, Bungalows,
Apartments, Restaurant



TVE CC/F-105



Top Mounting System

Color	Multiple
Use	Medium to heavy
Glass Thickness	12mm up to 13.5mm
Glass Height	Up to 1100mm

*Glass Toughen Coumpulsary.

Applications

Residential Spaces, Villas, Bungalows,
Apartments, Restaurant



TVE CC 120


Top Mounting System

Color	Multiple
Use	Medium to heavy
Glass Thickness	12mm up to 17.5mm
Glass Height	Up to 1200mm


*Glass Toughen Coumpulsary.

Applications

Residential Spaces, Villas, Bungalows,
Apartments, Restaurant




On-Glass Profile - Oval
TRA PR - 6423 Material: Aluminium




Note : Use up to 17.5mm Glass | 13 Feet Long

On-Glass Profile - Oval LED
TRA PR - 6423 L Material: Aluminium




Note : Use up to 17.5mm Glass | 13 Feet Long

On-Glass Profile-Square
TRA PR 36x36 Material: Aluminium




Note : Use up to 17.5mm Glass | 13 Feet Long

On-Glass Profile - Round
TRA PR - 6539 Material: Aluminium




Note : Use up to 17.5mm Glass | 13 Feet Long

On-Glass Profile - Round
TRA PR - 6539 S Material: Stainless Steel




Note : Use up to 17.5mm Glass | 20 Feet Long

On-Glass Profile - Round
TRA PR - 6539 SB Material: Stainless Steel




Note : Use up to 13mm Glass | 20 Feet Long

On-Glass Profile - Square
TRA PR - 6540 Material: Aluminium




Note : Use up to 17.5mm Glass | 13 Feet Long

On-Glass Profile - Square Groove
TRA PR - 6540 S Material: Stainless Steel




Note : Use up to 17.5mm Glass | 20 Feet Long

On-Glass Profile - Rectangular LED
TRA PR - 6540 L Material: Aluminium




Note : Use up to 17.5mm Glass | 13 Feet Long

On-Glass Profile - Flat
TRA PR - 6728 Material: Aluminium




Note : Use up to 16.5mm Glass | 13 Feet Long

On-Glass Profile - Square Groove
TRA PR - 6540 A Material: Aluminium




Note : Use up to 16.5mm Glass | 13 Feet Long

On-Glass Profile - Square
TRA PR - 6541 Material: Aluminium



Note : Use up to 16.5mm Glass | 13 Feet Long









Aluminium Railing Systems
Stainless Steel Glass Railing Systems
Stainless Steel Balustrade Railing Systems

A Quality Product by
Maruti Architectural Products Pvt. Ltd.

Plot No. 618, Ena-Gotiya Road,
Village: Ena, Ta.: Palsana
Dist.: Surat - 394310
(Gujarat) India

M : +91 99250 36952
+91 95863 36952
+91 83208 76046

E : info@technorail.com
support@technorail.com
W : www.technorail.com



Correspondence Address :

144 & 145, Vishal Society Bhatar Char Rasta, UM Road, Surat - 395017 (Gujarat) India



Due to continuous development and changes the technical details may vary. Verify them before placing the order. Images displayed here are only for representation purpose.